

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	443	713/310.cds.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/08/24 09:05
L2	8	1 and ((simultaneous\$2 both) near5 commands)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/24 10:08
L3	7	2 and memory	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/24 09:12
L4	49	(generat\$2 near4 reset) with (command\$1 instruction\$1) same (command adj decoder)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/24 10:13
L5	8	4 same memory	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/24 09:37
L6	2	"6462997"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/24 10:03
L7	5	"6198680"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/24 10:03
L9	10	("5239505"   "5457659"   "5463581"   "5473565"   "5526320"   "5532961"   "5555209"   "5559738"   "5600606"   "5604714"). PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/08/24 10:07
L10	279823	9 commands	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/24 10:08
L11	5	9 and commands	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/24 10:09
L12	142	(command adj decoder) near5 (command\$1 instruction\$1) with (memory adj controller)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/24 10:16

## EAST Search History

L13	1	12 same reset	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/24 10:16
L14	147	(command adj decode\$1) near5 (command\$1 instruction\$1) with (memory adj controller)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/24 10:16
L15	2	14 same reset	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/24 10:17
L16	192	(avoid\$3 prevent\$3) near6 current with memory same (interrupt\$4 reset disabl\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/24 10:21
L17	0	16 same (packet near1 command\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/24 10:22
L18	1	16 and (packet near1 command\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/24 10:22
L19	1	decode\$3 with (packet near1 command\$1) and pacom	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/24 10:26
L20	1	(packet near1 command\$1) and pacom	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/24 10:26
L21	193	decode\$3 with (packet near1 command\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/24 10:26
L22	109	21 and reset	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/24 10:26

## EAST Search History

L23	12	(generat\$2 near4 reset) and 21	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/24 10:27
L24	70	(cancel\$4 terminat\$3 interrupt\$3) near6 (refresh near1 command\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/24 10:43
L26	10	24 same reset	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/24 10:44

Thu, 24 Aug 2006, 9:27:15 AM EST

Search Query Display

Edit an existing query or  
compose a new query in the  
Search Query Display.

Select a search number (#)  
to:

- Add a query to the Search  
Query Display
- Combine search queries  
using AND, OR, or NOT
- Delete a search
- Run a search

Results

#1 (( common decoder<in>metadata ) <and>  
( memory<in>metadata ) ) 0

#2 (( common decoder<in>metadata ) <and>  
( memory<in>metadata ) ) 0

#3 (( common decoder<in>metadata ) <and>  
( memory<in>metadata ) ) 0

#4 (( generate commands<in>metadata ) <and>  
( reset<in>metadata ) ) 0

#5 (( generate commands<in>metadata ) <and>  
( reset<in>metadata ) ) 0

#6 (( commands<in>metadata ) <and> ( reset<in>metadata ) )  
<and> ( memory<in>metadata ) 1

#7 (( commands<in>metadata ) <and> ( reset<in>metadata ) )  
<and> ( memory<in>metadata ) 1

#8 (( commands<in>metadata ) <and> ( reset<in>metadata ) )  
<and> ( memory<in>metadata ) 1

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	1306	713/320.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/24 13:48
L2	0	reset same pacom	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/24 13:48
L3	222	reset same (packet near1 command\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/24 13:49
L4	0	1 and 3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/24 13:49
L5	6	3 same (command near2 decod\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/24 13:49